



	7	(+) inside this box -> leduction Act of 1995, no persons are required	to respond to	Patent a collection	Approved for and Trademark (of information up	or use through 09 Office: U.S. DEP/ nless it displays a	PTO/SB/05 (/30/2000. OMB 0651 ARTMENT OF COMM valid OMB control nu	(4/98) -0032 ERCE mber.	
\mathbf{f}		UTILITY	Attomey Do	ocket No.	_Mo~54	00/RC-204	ļ		
1	PATENT APPLICATION First Inve			tor or App			Heiliger		
1				ocess	for the	Productio	on of		
	וו Only for new nonpro	ANSMITTAL visional applications under 37 C.F.R § 1.53(b),				43943356t			
	City to their nempto	violatia appropriation of the grant of the g				-1-41-61-	-1		≣
		ICATION ELEMENTS 600 concerning utility patent application conten	ts.	ADDR	ESS TO: Bo	ox Patent Application DC		2°.	
		ransmittal Form (e.g., PTO/SB/17) an original and a duplicate for fee processing)		<u> </u>		puter Program		00 P	
1	2 X Specific] 1		itide andfor An ficable, all neci		ence Submission	6 22	≣
	•	d arrangement set forth below) iptive title of the Invention		a [ter Readable C	бору	jc6	
1		References to Related Applications ment Regarding Fed sponsored R & D		b.	Paper (Copy (identical	to computer copy)		
		ence to Microfiche Appendix		c.	Statem	ent verifying id	entity of above cop	ies	
		ground of the Invention	[Α	CCOMPANY	ING APPLIC	ATION PARTS		
air.	1	Summary of the Invention Description of the Drawings (if filed)		7. X	Assignment P	apers (cover sl	neet & document(s))	
Willy three Back back & B. B. Back three	- Detai				3(b) Statemeni an assignee)				
est est	- Clain	n(s)		9.	•	0 ,	nt (if applicable)]	
ar ar	1 —	ract of the Disclosure	 1.	10. X	Information D	isclosure	X Copies of I	os 💮	
	3. Drawin	ng(s) (35 U.S C. 113) [Total Sheets		10. A	Statement (ID	S)/PTO-1449	△ Citations		į
	4. Oath or Dec	laration [Total Pages	2 1	11.	Preliminary A		n=n		į
ill.	a X	Newly executed (original or copy)		12. X		pt Postcard (Mi pecifically itemi			İ
ai.	ь	Copy from a prior application (37 C F. (for continuation/divisional with Box 16 com	R. § 1 63(d)) pleled)	13.	* Small Entity Statement(s)) States	ent filed in prior ap		
j	i	DELETION OF INVENTOR(S)	-1-1:		(PTO/SR/09-12		still proper and des	sirea	۱
e L		Signed statement attached d inventor(s) named in the prior a	application,	14. X		iority is claimed			
4		see 37 C F.R. §§ 1.63(d)(2) an	d 1.33(b).	15.	Other:			••••	١
The Brah Badh Br Brees	FEES, A SMALL IF ONE FILED	MS 1 & 13 IN ORDER TO BE ENTITLED TO PAY S ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1. IN A PRIOR APPLICATION IS RELIED UPON (37. C.	27), EXCEPT F.R. § 1.28).						
	16 If a CON	TINUING APPLICATION, check appropria							١
70			tion-in-part (Ct	P)			/		١
	F = CONTINUE	ication information: Examiner	disclosure o	f the prior	application, fro	m which an oatl	n or declaration is su	ipplied	
	under Box 4b, reference. The	is considered a part of the disclosure of the incorporation can only be relied upon who	e accompany en a portion h	ing contint as been in	advertently omi	ited from the st	ibmitted application	parts.	
			ESPONDE						4
	Custome	er Number or Bar Code Labe I (Insert Custor	mer No or Atla	ch bar code		or 🗵 Corre	espondence address b	elow	
		Bayer Corporation							_
	Name	Patent Department							_
		100 Bayer Road							
	Address								
- 3	City	Pittsburgh	State	PA		Zip Code	15205-9741		

Burden Hour Statement. This form is estimated to take of hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete his form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLISTED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Box Patent Application. Washington, DC 20231.

(412)

777-2827

Registration No (Attorney/Agent)

Fax

Date

(412)

39,138 02/10/00

Telephone

City

Country

Name (Pnnt/Type)

PROCESS FOR THE PRODUCTION OF DITHIOPHOSPHORIC ACID POLYSULFIDE MIXTURES

FIELD OF THE INVENTION

5

This invention relates to a novel process for the production of dithiophosphoric acid polysulfide mixtures starting from dithiophosphoric acid disulfide.

BACKGROUND OF THE INVENTION

10

Dithiophosphoric acid polysulfides are known, as is the use thereof as vulcanizing agents or vulcanizing accelerators for the vulcanization of rubber (*c.f.* DE 19 36 694, DE 22 49 090 and DE 44 31 727). Dithiophos-phoric acid polysulfides may be produced from the corresponding dithiophosphoric acids or the alkali metal salts thereof and sulfur chlorides, such as disulfur dichloride or sulfur dichloride.

15

20

The disadvantages of reacting dithiophosphoric acids with sulfur chlorides include the elevated corrosiveness of the sulfur chlorides and the unpleasant odor thereof, which gives rise to handling problems and entails appropriate, complex plant and equipment. According to EP 0 383 102 A1, sulfur dichloride, moreover, very readily disproportionates, such that dithiophosphoric acid trisulfides are not directly obtainable using this process.

25

Additionally, the dithiophosphoric acid tetrasulfides obtained using the process described above have a tendency, due to the low stability thereof, to eliminate sulfur. In order to prevent this, it is necessary to stabilize the dithiophosphoric acid tetrachlorides against sulfur precipitation as is described, for example, in DE 44 31 727.

"Express Mail" mailing la	abel number	EK243943356US		
Date of Deposit		10,	2000	
I hereby certify that this Postal Service "Expres 1.10 on the date indicat of Patents and Tradema	s Mail Post Office to ed above and is addr	Addre essed t	ssee" service o the Assista	e under 37 CFH
Do:	nna J. Veat (Name of person mailin	g paper o	or fee)	

Signature of person mailing paper or fee)

SUMMARY OF THE INVENTION

The object of the present invention is accordingly to provide a process for the production of dithiophosphoric acid polysulfide mixtures which avoids the use of sulfur chlorides and gives rise to sulfur-stable dithiophosphoric acid polysulfide mixtures.

DETAILED DESCRIPTION OF THE INVENTION

The present invention accordingly provides a process for the production of dithiophosphoric acid polysulfide mixtures of the formula

in which

- R¹ to R⁴ are identical or different and denote a linear or branched C_1 - C_{18} alkyl residue, C_1 - C_{18} alkenyl residue, C_5 - C_{28} cycloalkyl residue, C_5 - C_{28} cycloalkenyl residue as well as a C_6 - C_{28} aryl residues or C_7 - C_{28} aralkyl residue and
- 20 n denotes a number from 2.5 to 3.5,

which is characterized in that dithiophosphoric acid disulfides of the formula

25

in which

5

R¹ to R⁴ have the above-stated meaning,

are reacted with 0.5 to 1.5 mol of sulfur, optionally in the presence of a solvent, at temperatures of 100 to 140°C.

The numeric values for n are determined statistically in accordance with the sulfur chain distribution in the molecule.

The residues R¹ to R⁴ of the above-stated formulae may be substituted by suitable residues which are not disruptive to the subsequent use of the polysulfides, wherein alkyl residues and cycloalkyl residues may, in particular, be mentioned.

Preferred residues R^1 to R^4 are C_6 - C_{12} alkyl residues, in particular C_8 - C_{12} alkyl residues, in particular branched alkyl residues, such as 2-ethylhexyl.

The dithiophosphoric acid polysulfide mixtures produced according to the invention are preferably those in which n denotes numbers from 2.8 to 3.3.

The dithiophosphoric acid disulfides to be used in the process according to the invention are also known and are described, for example, in the *Journal of Applied Polymer Science*, volume 19, pp. 865-877 (1975). The disulfides are produced, for example, by oxidizing dithiophosphoric acid with hydrogen peroxide or HOCl or a mixture of potassium bromide and hydrogen peroxide.

In the process according to the present invention, the disulfides used are preferably reacted with 0.8 to 1.3 mol of elemental sulfur, wherein temperatures of 110 to 130°C, in particular of 120 to 130°C, are preferred.

If the reaction is to be performed in solution, the solvents used are in particular aliphatic solvents, for example naphtha, aromatic solvents, for example toluene, or

25

10

15

20

halogenated aromatic solvents, such as chlorobenzene. The solvents may, of course, also be used as a mixture with each other.

The quantity of solvent may readily be determined by appropriate preliminary testing. Conventional quantities of solvent are from 0.1 to 50 wt.%, relative to the weight of the disulfide used.

It is furthermore possible to add hydrogen peroxide to the reaction according to the invention in order to prevent any possible color changes. In this case, the hydrogen peroxide is used in quantities of 0.1% to 5 wt.%, relative to the weight of the disulfide used.

Depending upon the reaction conditions employed, the reaction time ranges from approx. 10 minutes to approx. 6 hours.

Since the dithiophosphoric acid polysulfides produced according to the present invention are particularly sulfur-stable, i.e., they have no tendency to precipitate sulfur crystals, they are particularly suitable for use as sulfur donors for the vulcanization of natural and synthetic rubber latex.

The invention is further illustrated but is not intended to be limited by the following examples in which all parts and percentages are by weight unless otherwise specified.

EXAMPLES

Example 1

999.0 g (2.6179 mol) of O,O-di-2-ethylhexyldithiophosphoric acid diester (C₈-DTPS) having an acid value of 147 mg of KOH/g and 1.0 g (0.0084 mol) of potassium bro-mide are initially introduced at room temperature into a flask equipped with a stirrer, dropping funnel, gas inlet and reflux condenser and adjusted to a temperature of 30°C.

10

163.2 g (1.4399 mol) of hydrogen peroxide are then added dropwise in such a manner that the temperature in this strongly exothermic reaction does not rise above 40°C \pm 5°C.

In order to accelerate phase separation, 50 g of naphtha (80-110) and 10 g of sodium chloride are added and the batch left to stand at $40^{\circ}\text{C} \pm 5^{\circ}\text{C}$ until the phases have cleanly separated.

The bottom aqueous phase is separated. The yellow, turbid organic phase is heated to $70^{\circ}\text{C} \pm 5^{\circ}\text{C}$ and distilled under a vacuum (20 to 60 mbar). The phase is then filtered through 1% diatomaceous earth.

For the second stage of the reaction, the batch is perfused with nitrogen for 5 minutes. Then 46.1 g (1.4399 mol) of sulfur are added and the reaction mixture heated to $122^{\circ}\text{C} \pm 2^{\circ}\text{C}$ in order to boil down the sulfur. The batch is stirred for 4 hours at this temperature.

The yellow product may then be packaged without filtration. Even after several months' storage, the product exhibits neither turbidity nor precipitates.

25

15

20

The chain distribution in the resultant dithiophosphoric acid polysulfide mixture was determined by high pressure liquid chromatography (HPLC) as is as follows:

n = 1	0.8%	n = 4	19.9%	n = 72.5%, in reach case relative to the area of the HPLC signals
n = 2	29.2%	n = 5	8.1%	C
n = 3	35.5%	n = 6	4.4%	

5 Example 2 (Comparative Example 1)

6000 g (15 mol) of O,O-di-2-ethylhexyldithiophosphoric acid diester (C_8 -DTPS) having an acid value of 139.8 mg of KOH/g and 300 g of naphtha 80-100 are initially introduced into a vessel at room temperature. 2553.2 g of 23.5% sodium hydroxide solution (15.0 mol) are added within 1.5 h, wherein the temperature rises to 45°C. The temperature is then raised to 55°C in order subsequently to add 1003 g (7.4 mol) of S_2 -Cl₂ dropwise within 5 h. The mixture is stirred for a further 30 minutes in order to take the reaction to completion.

The batch is then adjusted to pH 7 with approx. 600 g of 8% NaHCO₃ solution. In order to achieve good phase separation, the temperature is raised to 65°C and 1200 g of water are added.

Once the aqueous phase has been separated, the product is distilled for 3 h at 70°C under a water-jet vacuum. The product is then filtered, using a filtration auxiliary, through a heated vacuum filter. The product forms yellow crystalline precipitates after only a few hours, which prove to be elemental sulfur.

Example 3 (Comparative Example 2)

25

6000 g (15 mol) of O,O-di-2-ethylhexyldithiophosphoric acid diester (C₈-DTPS) having an acid value of 139.8 mg of KOH/g and 300 g of naphtha 80-100 are initially

introduced into a vessel at room temperature. 2553.2 g of 23.5% sodium hydroxide solution (15.0 mol) are added within 1.5 h, wherein the temperature rises to 45°C. The temperature is then raised to 55°C in order to subsequently add 1003 g (7.4 mol) of S₂-Cl₂ dropwise within 5 h. The mixture is stirred for a further 30 minutes in order to take the reaction to completion.

The batch is then adjusted to pH 7 with approx. 600 g of 8% NaHCO₃ solution. In order to achieve good phase separation, the temperature is raised to 65°C and 1200 g of water are added.

10

5

Once the aqueous phase has been separated, 282 g of 2-ethylhexanoic acid and 180 g of zinc oxide are added in portions at 65°C in order to provide stabilization against sulfur precipitation. Once addition is complete, the reaction is continued for a further 2 h at 70°C.

15

The product is dried by distilling it for 3 h at 70°C under a water-jet vacuum. The product is then filtered, using a filtration auxiliary, through a heated vacuum filter. The product forms yellow crystalline precipitates after only a few days, which prove to be elemental sulfur.

20

Although the invention has been described in detail in the foregoing for the purpose of illustration, it is to be understood that such detail is solely for that purpose and that variations can be made therein by those skilled in the art without departing from the spirit and scope of the invention except as it may be limited by the claims.

10

15

20

25

WHAT IS CLAIMED IS:

1. A process for the production of dithiophosphoric acid polysulfide mixtures of the formula

in which

 R^1 to R^4 are identical or different and denote a linear or branched C_1 - C_{18} alkyl residue, C_1 - C_{18} alkenyl residue, C_5 - C_{28} cycloalkyl residue, C_5 - C_{28} cycloalkenyl residue as well as a C_6 - C_{28} aryl residue or C_7 - C_{28} aralkyl residue

and

n denotes a number from 2.5 to 3.5,

comprising the step of reacting dithiophosphoric acid disulfides of the formula

$$R^{1}O$$
 S S OR^{3} $P-S_{2}-P$ OR^{4}

in which

R¹ to R⁴ have the above-stated meaning,

with 0.5 to 1.5 mol of sulfur, optionally in the presence of a solvent, at temperatures of 100 to 140°C.

2. A sulfur donor for the vulcanization of natural and synthetic rubber comprising dithiophosphoric acid polysulfide mixtures of the formula

$$R^{1}O$$
 $P-S_{n}$
 OR^{3}
 OR^{4}

in which

10

5

 R^1 to R^4 are identical or different and denote a linear or branched C_1 - C_{18} alkyl residue, C_1 - C_{18} alkenyl residue, C_5 - C_{28} cycloalkyl residue, C_5 - C_{28} cycloalkenyl residue as well as a C_6 - C_{28} aryl residue or C_7 - C_{28} aralkyl residue

15

and

n denotes a number from 2.5 to 3.5,

20

wherein said dithiophosphoric acid polysulfide mixture is produced by reacting dithiophosphoric acid disulfides of the formula

in which

25

R¹ to R⁴ have the above-stated meaning,

with 0.5 to 1.5 mol of sulfur, optionally in the presence of a solvent, at temperatures of 100 to 140°C.

3. A sulfur donors for the latex vulcanization of natural and synthetic rubber latex comprising dithiophosphoric acid polysulfide mixtures of the formula

in which

10

5

 R^1 to R^4 are identical or different and denote a linear or branched C_1 - C_{18} alkyl residue, C_1 - C_{18} alkenyl residue, C_5 - C_{28} cycloalkyl residue, C_5 - C_{28} cycloalkenyl residue as well as a C_6 - C_{28} aryl residue or C_7 - C_{28} aralkyl residue

15

and

n denotes a number from 2.5 to 3.5,

20

wherein said dithiophosphoric acid polysulfide mixture is produced by reacting dithiophosphoric acid disulfides of the formula

in which

25

R¹ to R⁴ have the above-stated meaning,

with 0.5 to 1.5 mol of sulfur, optionally in the presence of a solvent, at temperatures of 100 to 140°C.

- 12 -

PROCESS FOR THE PRODUCTION OF DITHIOPHOSPHORIC ACID POLYSULFIDE MIXTURES

ABSTRACT OF THE DISCLOSURE

This invention relates to a process for the production of dithiophosphoric acid polysulfide mixtures, which is characterized in that dithiophosphoric acid disulfides are reacted with sulfur at elevated temperatures. The dithiophosphoric acid polysulfide mixtures produced using the process according to the present invention are used as sulfur donors for the vulcanization of natural and synthetic rubbers and in the latex vulcanization of natural and synthetic rubber latex.

The property of the property o

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PROCESS FOR THE PRODUCTION OF DITHIOPHOSPHORIC ACID POLYSULFIDE MIXTURES

the specification of which	ch is attached hereto,		
or was filed on		as	
Application Serial No			
I hereby state that I hidentified specification,		derstand the co	ntents of the above-
I acknowledge the duty ability of this applicati tions, §1.56.			
I hereby claim foreign of any foreign applica and have also identifie certificate having a fili is claimed:	tion(s) for patent of d below any foreign	r inventor's cer application for	rtificate listed below patent or inventor's
Prior Foreign Applicatio	n(s), the priority(ies)	of which is/are	to be claimed:
	ermany Country)	February 19, (Month/Day/Ye	
I hereby claim the bene States application(s) list the claims of this application in the manner produced of the prior date of this application:	sted below and, insof- ication is not disclose rovided by the first dge the duty to disc of Federal Regulation r application and the	ar as the subject in the prior paragraph of Ticlose the materials, \$1.56 which	ct matter of each of United States appli- tle 35, United States Il information as de- occured between the
(Application Serial No.) (Filing Da	ate)	(Status)
		•	patented, pending, abandoned)
(Application Serial No.) (Filing Da	•	(Status) patented, pending, abandoned)
I hereby declare that	all statements made		

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

JOSEPH C. GIL, Patent Office Registration Number 26,602
ARON PREIS, Patent Office Registration Number 29,426
LYNDANNE M. WHALEN, Patent Office Registration Number 29,457
THOMAS W. ROY, Patent Office Registration Number 29,582
RICHARD E. L. HENDERSON, Patent Office Registration Number 31,619
GODFRIED R. AKORLI, Patent Office Registration Number 28,779
N. DENISE BROWN, Patent Office Registration Number 36,097
NOLAND J. CHEUNG, Patent Office Registration Number 39,138
CAROL MARMO, Patent Office Registration Number 39,761
DIDERICO VAN EYL, Patent Office Registration Number 38,641

all of Bayer Corporation, Pittsburgh, Pennsylvania 15205-9741

Send Correspondence To: Patent Department Bayer Corporation 100 Bayer Road		(412) 777-2349	ans 10:			
Pittsburgh, Pennsylvania 15205-9741						
FULL NAME OF SOLE OR FIRST INVENTOR Ludger HEILIGER	INVENTOR'S SIGNAT		DATE 91/03/200			
RESIDENCE	1	CITIZENSHIP	((
67433 Neustadt, Germany	,	German				
POST OFFICE ADDRESS		٨				
Haardter Treppenweg 11, 67433 Neustadt	t, Germany	\				
FULL NAME OF SECOND INVENTOR	INVENTOR'S SIGNATU	JRE .	DATE /			
Alfred PAULI	1 11/201		1031 UN 2000			
RESIDENCE		CITIZENSHIP				
68799 Reilingen, Germany		German				
POST OFFICE ADDRESS						
m Obstgarten 9, 68799 Reilingen, Germany						
FULL NAME OF THIRD INVENTOR	INVENTOR'S SIGNAT	The Constitution of the Co	01/03/2000			
Joachim HEGMANN	/ sade	Mudee	01/07/2000			
RESIDENCE		CITIZENSHIP				
67117 Limburgerhof, Germany	\mathcal{C}	German				
POST OFFICE ADDRESS	•					
Sieglestr.7 b, 67117 Limburgerhof, Ger	rmany					
FULL NAME OF FOURTH INVENTOR	INVENTOR'S SIGNAT	URE 17	DATE			
Clemens SCHUDOK	Meiners M	MMU G	04/01/2000			
RESIDENCE	/	CITIZENSHIP	r			
67240 Bobenheim-Roxheim, Germany	/	German				
POST OFFICE ADDRESS						
Gaustr.20, 67240 Bobenheim-Roxheim, G	ermany					
FULL NAME OF FIFTH INVENTOR	INVENTOR'S SIGNAT	URE - C	DATE			
Thomas FRÜH	1 leonos	Tur	<u> </u>			
RESIDENCE		CITIZENSHIP				
67061 Ludwigshafen, Germany		German				
POST OFFICE ADDRESS						
Grünerstr. 10. 67061 Ludwigshafen, Ge	rmany					